

## SEQUENCE LISTING

<110> BASF Plant Science GmbH

5 <120> Transgenic expression constructs for vegetative plant tissue  
specific expression of nucleic acids

<130> PF55368 PCT / AE20040055

<160> 19

<170> PatentIn version 3.3

10 <210> 1

<211> 863

<212> DNA

<213> Pisum sativum

15 <220>

<221> promoter

<222> (1)..(863)

<223> promoter region of ptxA gene including 5'-untranslated region

20 <220>

<221> misc\_feature

<222> (300)..(583)

<223> potential core region of the promoter comprising clusters of

25 promoter elements

<220>

<221> TATA\_signal

<222> (549)..(554)

30 <220>

<221> 5'UTR

<222> (584)..(863)

35 <400> 1

gcaatttttt gtgaagctga gggaggattg gatttttacac ctattcaaaa gtcattcaaa 60

gtttgtccct ccattcaagg atgaatgtag atttttcaag catcaaacac aagaatcact 120

agcataacat gctttgaaac ccacacactt aaattaatgt taggaatatc aaatccaata 180

taaaatcata gttgtcaatt acataactcaa tcaagtcctt ttcttttacc caataaacat 240

40 caacatattg cttcttccat taagcatata aacatcaaag tctaaaacta gcaaaatggt 300

gttttttagga tgacacattt catacatagt ttaaaagata cttgattcga ttacaaaaag 360

aaattaccaa tagtttagca caaagtctaa agcataatta aagcatcaca tgtgcagatt 420

tatgaaaaaa agattaagat tgcccctttc atcacgggtc gaataatagc actacttgtc 480

actacatggt aaaaaaatgt cctctagtag atcaaaacttt ttccattgat tccoccttacc 540

45 catgaaaaaa ataaacaaat tcttaagaca caaaaaaatg gccccacatc cttttttctg 600

gcctagtttg tttgaattca ttctaactct tgaatatgta acgaggccca ctaaaaaatca 660

atcaatgatt taacataaaa aatgaatagt ttaattccaa tttgctgcaa catgggtccgt 720

```

gaatatgact caccagaaaag atatatcaaa atatcaaaat ttcatagttt ttttcaccat      780
ataaacctca tcaactcattc ttttttttta agtgcaaagc ttcatagtag tgagcacaca      840
cattacacta aaatcttcga aac                                              863

```

5 <210> 2  
 <211> 1380  
 <212> DNA  
 <213> Glycine max

10 <220>  
 <221> promoter  
 <222> (1)..(1380)  
 <223> promoter region of SbHRGP3 gene including 5' untranslated region

15 <220>  
 <221> misc\_feature  
 <222> (800)..(1179)  
 <223> potential core region of the promoter comprising clusters of promoter elements

20 <220>  
 <221> TATA\_signal  
 <222> (1147)..(1152)

25 <220>  
 <221> 5'UTR  
 <222> (1180)..(1380)  
 <223> potential 5' UTR

30 <400> 2  
 tagaaagctt ttcaacaatc atgcccattgt caagtgtaaa acagggtttac ctctcttaaa 60  
 taaccgtatt aaaatgctga atgatgtata tatgtgggtt caaattacat aatttgtaag 120  
 tatgtttacac attgtataaa tatgtttttag agaaaaatgt aaacttatat gtctaaagtt 180  
 ataaaagaaa catgtccaac acatttcagt taagatttaa atagtataaa ttaaaaatta 240  
 35 tcgatgatga caaaaaattg taaatataat tcatttttaa aaaagttaag aaattgaaaa 300  
 aggaaatata gagaaaaaaa tatgtcgatt atatatatgt gtgagctgag tgaatatata 360  
 tgtatatttt atttttgact gaatatatgt gtgtatagac aataatgccc agaatgccga 420  
 tcgatgaatt gtttactgca tttccaaata tgtgtgcata agcgttcac atgtcaccca 480  
 tgttgtaatt agtttcttcc ctggatgaat tactaagaaa cagattgatt gatagtacta 540  
 40 tattaaatta tgtagcttta catgtcagga aaatgtagtt gcagtattat gtaatgtaat 600  
 taataggaag tcacagacaa tttgaagaca atttcttttag cttacctatc tcatgccaca 660  
 attatgtact tacgacagta aaatgtttta aagcaaaaaa aagaaagaag aagaagaagt 720  
 aataaatgga attatataga atgtactctt tgtcttcac tgccctataa ttctgcagc 780  
 agccaaagca taatagcatg caatatgcac atattcgttt taggctttta gcctccacga 840  
 45 tctgttaatg gaaagtgaag agtaagagat atgaagttca ttatggcagc catgggccca 900  
 gggaagcact agaagatatg aaatgacata aaaggtcacc atgcataatg ctttaaatgc 960  
 ttgctataga atcaaaaaat gaagagatgt gacaaattgt tacatctaata acgcaataat 1020

ttgacaaaga cgactatgcg tttatatatt tattttaatt agttggcgtc tcttattata 1080  
 aagaaaataa gggcagtgtc aacatttcca ggcaactagt tagttatttt attttcttgt 1140  
 ttataattat ttccataatag ctagctgtct ctatctaatac caaatccgct ttccacaacc 1200  
 aacttggtcg cattggtcca aaaaactcaa tatcaatatt ttcgaaatag ttttagcatt 1260  
 5 gtttaggaag agaattgtaa gagataaaaat ctaagtactc cacctaccaa gataaaatag 1320  
 ttggataaat gggtaaaaaa agttgtataa agggcaacac tacctctcct aatggcagta 1380

<210> 3  
 <211> 26  
 10 <212> DNA  
 <213> Artificial

<220>  
 <223> Oligonucleotide primer ptxA5'

15 <400> 3  
 ggcgcgcccg caattttttg tgaagc 26

<210> 4  
 20 <211> 25  
 <212> DNA  
 <213> Artificial

<220>  
 25 <223> Oligonucleotide primer ptxA3'

<400> 4  
 tctagataag tttcgaagat tttag 25

30 <210> 5  
 <211> 29  
 <212> DNA  
 <213> Artificial

35 <220>  
 <223> Oligonucleotide primer SbHRGP3-5'

<400> 5  
 tctagataga agcttttcaa caatcatgc 29

40 <210> 6  
 <211> 24  
 <212> DNA  
 <213> Artificial

45 <220>  
 <223> Oligonucleotide primer SbHRGP3-3'

<400> 6  
agatcttact gccattagga gagg 24

5 <210> 7  
<211> 1381  
<212> DNA  
<213> Glycine max

10 <220>  
<221> promoter  
<222> (1)..(1368)

<220>  
15 <221> misc\_feature  
<222> (801)..(1178)  
<223> potential core region of promoter

<220>  
20 <221> TATA\_signal  
<222> (1146)..(1151)

<220>  
<221> 5'UTR  
25 <222> (1369)..(1381)

<400> 7  
aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataac 60  
cgtattaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg 120  
30 ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa 180  
aagaaacatg tccaacacat ttcagttaag atttaaatag tataattaaa aattatcgat 240  
gatgacaaaa aattgtaaat ataattcatt ttaaaaaaag ttaagaaatt gaaaaaggaa 300  
atatcgagaa aaaaatatgt cgattatata tatgtgtgag ctgagtgaat atatatgtat 360  
attttatttt tgactgaata tatgtgtgta tagacaataa tgcgcagaat gccgatcgat 420  
35 gaattgttta ctgcatttcc aaatatgtgt gcataagcgt tccacatgac acccatgttg 480  
taattagttt cttccctgga tgaattacta agaaacagat tgattgatag tactatatta 540  
aattatgtag ctttaccatgt caggaaaatg tagttgcagt attatgtaat gtaattaata 600  
ggaagtcaca gacaatttga agacaatttc tttagcttac ctatctcatg ccacaattat 660  
gtacttacga cagtaaaaatg tttaaaagca aaagcaaaaa aaagaaagaa gaagaagaag 720  
40 taataaatgg aattatatag aatgtactct ttgtcttcat ctgccctata attcctgcag 780  
cagccaaagc ataatagcat gcaatatgca catattcgtt ttaggccttt agctccacga 840  
tctgttaatg gaaagtgaag agtaagagat atgaagttca ttatggcagc catgggtcca 900  
gggaagcact agaagatatg aaatgactaa aaggtcacca tgcataatgc tttaaatgct 960  
tgctatagaa tcaaaaaatg aagagatgtg acaaattggt acatctaata cgcaataatt 1020  
45 tgacaaagac gactatgcgt ttatatattt attttaatta gttggcgtct cttattataa 1080  
agaaaataag ggcagtgtca acatttccag gcaactagtt agttatttta ttttcttggt 1140  
tataattatt tccatatagc tagctgtctc tatctaattc aaatccgcgt tccacaacca 1200

	acttgggtcca aaaaactcaa tatcaatatt ttcaaaatag ttttagcatt gtttaggaag	1260
	agaattgtaa gagataaaat ctaagtactc cacctaccaa gataaaatag ttggataaat	1320
	gggtataaaaaa gttgtataaa gggcaacact acctctccta atggcagtac caaaacccaa	1380
	g	1381
5	<210> 8	
	<211> 1388	
	<212> DNA	
	<213> Glycine max	
10	<220>	
	<221> promoter	
	<222> (1)..(1175)	
	<223> potential promoter region	
15	<220>	
	<221> misc_feature	
	<222> (796)..(1175)	
	<223> potential core region of promoter	
20	<220>	
	<221> TATA_signal	
	<222> (1143)..(1148)	
25	<220>	
	<221> 5'UTR	
	<222> (1176)..(1388)	
	<400> 8	
30	aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataac	60
	cgtattaaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg	120
	ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa	180
	aagaaacatg tccaacacat ttcagttaag atttaaatag tataaattaa aaattatcga	240
	tgatgacaaa aaattgtaaa tataattcat tttaaaaaaa gttaagaaat tgaaaaagga	300
35	aatatcgaga aaaaaatatg tcgattatat atatgtgtga gctgagtga tatatatgta	360
	tatttttattt ttgactgaat atatgtgtgt atagacaata atgcgcagaa tgccgatcga	420
	tgaattgttt actgcatttc caaatatgtg tgcataagcg ttccacatgt caccatggt	480
	gtaattagtt tcttccttg atgaattact aagaaacaga ttgattgata gtactatatt	540
	aaattatgta gctttacatg tcaggaaaat gtagttgcag tattatgtaa tgtaattaat	600
40	aggaagtcac agacaatttg aagacaattt ctttagctta cctatctcat gccacaatta	660
	tgtacttacg acagtaaaat gtttaaaagc aaaaaaaga aagaagaaga agaagtaata	720
	aatggaatta tatagaatgt actctttgtc ttcattctgcc ctataattcc tgcagcagcc	780
	aaagcataat agcatgcaat atgcacatat tcgttttagg ctttttagcct ccacgatctg	840
	ttaatggaaa gtgaaaagta agagatatga agttcattat ggccagccatg gtcccaggga	900
45	agcactagaa gatatgaaat gacataaaag gtcaccatgc ataatgcttt aaatgcttgc	960
	tatagaatca aaaaatgaag agatgtgaca aattgttaca tctaatacgc aataatttga	1020
	caaagacgac tatgcgttta tataatttatt ttaattagtt ggcgtctctt attataaaga	1080

aaataagggc agtgtcaaca ttccaggca actagttagt tatttttattt tcttgtttat 1140  
 aattatttcc atatatgctag ctgtctctat ctaatccaaa tccgctttcc acaaccaact 1200  
 tggctgcatt ggtccaaaaa actcaatatc aatattttcg aaatagtttt agcattgttt 1260  
 aggaagagaa ttgtaagaga taaaatctaa gtactccacc taccaagata aaatagttgg 1320  
 5 ataaatgggt aaaaaaagtt gtataaaggg caacactacc tctcctaata gacgtaccaa 1380  
 aaccaag 1388

<210> 9  
 <211> 1373  
 10 <212> DNA  
 <213> Glycine max

<220>  
 <221> promoter  
 15 <222> (1)..(1172)  
 <223> potential promoter region

<220>  
 <221> misc\_feature  
 20 <222> (793)..(1172)  
 <223> potential core region of promoter

<220>  
 <221> TATA\_signal  
 25 <222> (1140)..(1145)

<220>  
 <221> 5'UTR  
 <222> (1173)..(1373)  
 30

<400> 9

cttttcaaca atcatgccca tgtcaagtgt aaaacagggt tacctctctt aaataaccgt 60  
 attaaaatgc tgaatgatgt atatatgtgg gttcaaatta cataatttgt aagtatgtta 120  
 cacattgtat aaatatgttt tagagaaaaa tgtaaaactta tatgtctaaa gttataaaaag 180  
 35 aaacatgtcc aacacatttc agttaagatt taaatagtat aaattaaaaa ttatcgatga 240  
 tgacaaaaaa ttgtaaatat aattcatttt aaaaaaagtt aagaaattga aaaaggaaat 300  
 atcgagaaaa aaatatgtcg attatatata tgtgtgagct gagtgaatat atatgtatat 360  
 tttatttttg actgaatata tgtgtgtata gacaataatg cgcagaatgc cgatcgatga 420  
 attgtttact gcattttccaa atatgtgtgc ataagcgttc cacatgtcac ccatgttgta 480  
 40 attagtttct tccctggatg aattactaag aaacagattg attgatagta ctatattaaa 540  
 ttatgtagct ttacatgtca ggaaaatgta gttgcagtat tatgtaatgt aattaatagg 600  
 aagtcacaga caatttgaag acaatttctt tagcttacct atctcatgcc acaattatgt 660  
 acttacgaca gtaaaatggt taaaagcaaa aaaaagaaag aagaagaaga agtaataaat 720  
 ggaattat ataatgtact ctttgtcttc atctgcccta taattcctgc agcagccaaa 780  
 45 gcataatagc atgcaatatg cacatattcg ttttaggctt ttagcctcca cgatctgtta 840  
 atggaaagtg aaaagtaaga gatatgaagt tcattatggc agccatggtc ccagggaagc 900  
 actagaagat atgaaatgac ataaaaggtc accatgcata atgctttaa tgcttgctat 960

agaatcaaaa aatgaagaga tgtgacaaat tgttacatct aatagcgaat aatttgacaa 1020  
 agacgactat gcgtttatat atttatttta attagttggc gtctcttatt ataaagaaaa 1080  
 taagggcagt gtcaacattt ccaggcaact agttagttagt tttattttct tgtttataat 1140  
 tattttccata tagctagctg tctctatcta atccaaatcc gctttccaca accaacttgg 1200  
 5 tgcgattggg ccaaaaaact caatatcaat attttcgaaa tagtttttagc attgtttagg 1260  
 aagagaattg taagagataa aatctaagta ctccacctac caagataaaa tagttggata 1320  
 aatgggtaaa aaaagttgta taaagggcaa cactacctct cctaattggca gta 1373

<210> 10  
 10 <211> 1924  
 <212> DNA  
 <213> Artificial

<220>  
 15 <223> Artificial construct of ptxA promoter and ubiquitin intron

<220>  
 <221> promoter  
 <222> (1)..(583)  
 20 <223> potential promoter region

<220>  
 <221> misc\_feature  
 <222> (300)..(583)  
 25 <223> potential core region of promoter

<220>  
 <221> TATA\_signal  
 <222> (549)..(554)  
 30

<220>  
 <221> 5'UTR  
 <222> (584)..(828)

35 <220>  
 <221> misc\_feature  
 <222> (829)..(874)  
 <223> multiple cloning site

40 <220>  
 <221> Intron  
 <222> (875)..(1924)  
 <223> Zea mais ubiquitin intron

45 <400> 10  
 gcaatttttt gtgaagctga gggaggattg gattttacac ctattcaaaa gtcattcaaa 60  
 gtttgtccct ccattcaagg atgaatgtag atttttcaag catcaaacac aagaatcact 120

agcataacat gctttgaaac ccacacactt aaattaatgt taggaatatc aaatccaata 180  
 taaaatcata gttgtcaatt acatactcaa tcaagtccct ttcttttacc caataaacat 240  
 caacatattg cttcttccat taagcatata aacatcaaag tctaaaacta gcaaaatgtt 300  
 gtttttagga tgacacattt catacatagt ttaaaagata cttgattcga ttacaaaaag 360  
 5 aaattaccaa tagtttagca caaagtctaa agcataatta aagcatcaca tgtgcagatt 420  
 tatgaaaaaa agattaagat tgcccctttc atcacgggtc gaataatagc actacttgtc 480  
 actacatgtt aaaaaaatgt cctctagtag atcaaaactt ttccattgat tccccttata 540  
 catgaaaaaa ataaacaaat tcttaagaca caaaaaaatg gccccacatc cttttttctg 600  
 gcctagtttg tttgaattca ttctaactct tgaatatgta acgaggccca ctaaaaatca 660  
 10 atcaatgatt taacataaaa aatgaatagt ttaattccaa tttgctgcaa catggtccgt 720  
 gaatatgact cacgagaaaag atatatcaaa atatacaaaat ttcatagttt ttttcaccat 780  
 ataaacctca tcaactcattc tattttttta agtgcaaagc ttcatagtta attaaggcgc 840  
 gccaagcttg catgcctgca ggtcgactct agaggatctc ccccaaatac acccgctggc 900  
 acctccgctt caaggtaacgc cgctcgctct ccccccccc ccctctctac cttctctaga 960  
 15 tcggcggttc ggtccatggt tagggcccg tagttctact tctgttcatg tttgtgttag 1020  
 atccgtgttt gtgttagatc cgtgctgcta gcgttcgtac acggatgcca cctgtacgtc 1080  
 agacacgttc tgattgctaa cttgccagt tttctctttg gggaatcctg ggatggctct 1140  
 agccgttccg cagacgggat cgatttcattg attttttttg tttcgttgca tagggtttg 1200  
 tttgcccttt tccttttatt caatatatgc cgtgcacttg tttgtcgggt catcttttca 1260  
 20 tgcttttttt tgtcttggtt gtgatgatgt ggtctggttg ggcggctcgt ctagatcgga 1320  
 gtagaattct gtttcaaact acctggtgga tttattaatt ttggatctgt atgtgtgtgc 1380  
 catacatatt catagttacg aattgaagat gatggatgga aatatcgatc taggataggt 1440  
 atacatgttg atgcgggttt tactgatgca tatacagaga tgctttttgt tcgcttggtt 1500  
 gtgatgatgt ggtgtggttg ggcggctcgt cattcgttct agatcggagt agaatactgt 1560  
 25 ttcaaactac ctggtgtatt tattaatttt ggaactgtat gtgtgtgtca tacatcttca 1620  
 tagttacgag ttttaagatgg atggaaatat cgatctagga taggtataca tgttgatgtg 1680  
 ggttttactg atgcatatac atgatggcat atgcagcatc tattcatatg ctctaacctt 1740  
 gagtacctat ctattataat aaacaagtat gttttataat tattttgatc ttgatatact 1800  
 tggatgatgg catatgcagc agctatatgt ggattttttt agccctgcct tcatacgcta 1860  
 30 tttatttgct tggtagtgtt tcttttgtcg atgctcacc tggtgttttg tgttacttct 1920  
 gcag 1924

&lt;210&gt; 11

&lt;211&gt; 23

35 &lt;212&gt; DNA

&lt;213&gt; Artificial

&lt;220&gt;

&lt;223&gt; oligonucleotide primer ptxA3'-2

40

&lt;400&gt; 11

tctagataaa ctatgaagct ttg

23

&lt;210&gt; 12

45 &lt;211&gt; 22

&lt;212&gt; DNA

&lt;213&gt; Artificial



<220>  
<223> oligonucleotide primer

5 <400> 12  
ccgcttcgaa accaatgcct aa 22

<210> 13  
<211> 24  
10 <212> DNA  
<213> Artificial

<220>  
<223> oligonucleotide primer

15 <400> 13  
tggtcgcat gaagatgcgg actt 24

<210> 14  
20 <211> 20  
<212> DNA  
<213> Artificial

<220>  
25 <223> Oligonucleotide primer ptxaF1

<400> 14  
gggccaagga catagtagaa 20

30 <210> 15  
<211> 20  
<212> DNA  
<213> Artificial

35 <220>  
<223> Oligonucleotide primer ptxaR1

<400> 15  
tgaagttaca aacgctgaca 20

40 <210> 16  
<211> 20  
<212> DNA  
<213> Artificial

45 <220>  
<223> Oligonucleotide primer ptxaR1

<400> 16  
agagcatcac acgcaatcaa 20

5 <210> 17  
<211> 20  
<212> DNA  
<213> Artificial

10 <220>  
<223> Oligonucleotide primer SbHRGP3-F1

<400> 17  
catgtgcgcg tacttttgta 20

15 <210> 18  
<211> 20  
<212> DNA  
<213> Artificial

20 <220>  
<223> Oligonucleotide primer SbHRGP3-F1

<400> 18  
25 atgaagaata taagccaata 20

<210> 19  
<211> 20  
<212> DNA  
30 <213> Artificial

<220>  
<223> Oligonucleotide primer SbHRGP3-R1

35 <400> 19  
agtgccatac aactgtctaa 20